

## TECHNICAL DATA SHEET

515



# **ORANET B1**

#### PROFESSIONAL MULTI-PURPOSE DETERGENT

#### **DEFINITION**

Super concentrated cleaning detergent for cleaning greasy stains on car bodies, floors and machinery.

#### **ADVANTAGES**

Completely removes road film as well as all greasy deposits; leaves no trace.

Powerful cleaning agent, effective even on very dirty surfaces, grease, oils, gasoline, etc.

Economical, since the product is very effective and can be diluted in water.

Non-flammable product.

Suitable for use in automatic vehicle wash systems and auto scrubbers, and for manual washing.

Certified by NATO for military applications.

#### **APPLICATION FIELDS**

Completely cleans painted surfaces and plastic tarpaulins on light and heavy vehicles ORANET B1 is a multi-purpose cleaner: floors, cladding and synthetic surfaces. Cleans floors, lining, workshop mechanical parts, machinery frames, conveyors, etc.

#### **TECHNICAL CHARACTERISTICS**

Color	light blue
Density (ASTM D4052 )	1.08
pH in solution diluted to 5%	12.5

### **INSTRUCTIONS FOR USE**

Use in a cool environment, in a solution at the following doses: Automatic vehicle wash systems, floor maintenance: 0.5 to 1%

High pressure spraying and rinsing, foam generator:

5 to 20% (for very dirty surfaces);

1 to 2% (fragile materials: aluminium, glass, paints, car bodies; do not allow the product to

remain on surface for too long to prevent tarnishing); Floors, manual washing: 2 to 5% maximum

After washing, rinse well, especially when using higher concentration levels.

## Manufacturing site and registered office

- 1/2 -

TDS 515 / Index 1 - 13/09/2010

Parc Industriel de la Plaine de l'Ain 5, allée des Cèdres - 01150 Saint-Vulbas - France Tel: +33 (0)4 74 40 20 20 – Fax: +33 (0)4 74 40 20 21 www.orapi.com

ORAPI cannot know about every application for which the products are used nor their conditions of use. ORAPI cannot be held responsible for the suitability of the products for a given use or a specific purpose. The information contained here can on no account be a substitute for the preliminary tests which are essential and which must be carried out in order to check the suitability of the product to each specific case.



# TECHNICAL DATA SHEET

#### **PACKAGING**

500 ml spray bottle	Ref. 2515 i1	x 12
1 kg bottle	Ref. 2515 i2	x 12
5 kg bottle	Ref. 2515 J1	x 4
20 kg drum	Ref. 2515 O1	x 1
200 kg drum	Ref. 2515 U2	x 1
1,000 kg container	Ref. 2515N1	x 1